



Water Test Request Form

INSTRUCTIONS:

- Please complete pages 1 & 2 for each sample sent.
- **Mark** each sample bottle with your company name and the type of sample.
- **NOTICE: DO NOT use pop or fruit drink bottles, only drinking water containers**
- Send **FULL PINT** samples to: 2103 E. Rockhurst St. Ste. 100, Springfield, MO 65802

Date: _____

Company Name: _____

Address: _____

Contact Name: _____ Email Address: _____

Phone Number: _____ Fax Number: _____

System and Test Information: (Please fill out completely)

1. Customer Name: _____

2. Address: _____

3. Age of System: _____ yrs. _____ mos. Approximate volume of fluid in system: _____ gallons.

4. Hot Water Boiler Steam Chilled Loop Cooling Tower Makeup Water

5. Is the makeup water softened? Yes No Not Sure

6. What metals are in the system? Aluminum Copper Steel Iron Not Sure

7. What brand of treatment or glycol, if any, is in the system? _____

8. Describe any problem or issue that you would like us to test for or comment on. _____

9. **Select the type of testing needed on page 2 to determine cost.**

Samples cannot be processed without payment information!

We accept MasterCard, Visa and American Express. Please send your credit card information, purchase order, or a check along with your water sample.

Card Type: MC Visa American Express

Name on Card: _____

Card Billing Address: _____

Card Number: _____ Exp. Date: _____

Purchase Order Number: _____



TESTING INFORMATION SHEET

Select one of the test descriptions listed below to indicate the type of tests you want performed:

\$25.00

RhoGard or EnviroGard Product Test:

Percentage of glycol
Freeze Temperature
Rhomar Inhibitor level
PH
Conductivity

\$25.00

Pro-Tek Product Test:

Pro-Tek Inhibitor level
PH
Conductivity

\$135.00

Commercial Analysis:

Conductivity
PH
Alkalinity
Total Hardness
Chlorides
Sulfates
Percentage of glycol
Freeze Temperature
Dissolved metals; aluminum, copper, iron
Inhibitors

\$95.00

Residential Analysis:

Conductivity
PH
Alkalinity
Chlorides
Sulfates
Percentage of glycol
Freeze Temperature
Inhibitors (if present)

\$75.00

Makeup Water Analysis:

Conductivity
PH
Alkalinity
Total Hardness
Chlorides
Sulfates

\$95.00

Steam Boiler Water Analysis:

Conductivity
PH
Alkalinity
Total Hardness
Chlorides
Sulfates
Oxygen Treatment (if present)

\$150.00

Scale / Sludge Analysis:

Minerals
Metals

\$75.00

Biological Test

Quantitative, Non-Specific

Email **Fax** **Mail** **Please specify how you would like to receive your test results.**
(We prefer to send test results via email, usually within one week after receiving samples.)

Comments will be made based on the type and age of system, condition of fluid, test results and problems listed in the comment section of item 8. Include as much information as possible to insure accurate recommendations.

You may call **1-417-862-2600** if you have additional questions regarding your test results or if you would like to request additional testing other than what is listed above.

The "Comments" provided by Rhomar Water Management are based on limited information provided with the "Water Test Request Form" and from the water analysis results. A careful inspection of the system along with additional information could have an affect on the "Comments" that are made.